



10MM FLEXIBLE SEALANT

10MM COMPRIBAND COMPRESSIBLE SEALANT

FIRE TREATED 75MM CHAMFERED TIMBER BATTEN (OR CAVITY FIRE BREAK)

MORTAR (APPLIED TO WHOLE SYSTEM AFTER FIXING TO SUBSTRATE)

FIRE TREATED TIMBER BATTEN TO CREATE 15MM DRAINAGE CAVITY & FIRE STOP

GEBRIK PANEL

MIN 12MM CEMENT PARTICLE BOARD OR MIN 15MM PLY/OSB BOARD

GEBRIK SCREWS & PLUGS (VARIABLE LENGTH & TYPE TO SUIT SUBSTRATE)

BREATHER MEMBRANE

MIN 10MM SHEATHING BOARD

LIGHTWEIGHT STEEL FRAME SYSTEM

ADDITIONAL INSULATION LAYER (FIXED TO SUPPLIERS RECOMMENDATIONS)

VAPOURCHECK MEMBRANE (IF REQUIRED)

PLASTERBOARD & INTERNAL FINISH

**COPYRIGHT NOTICE:**

THIS DRAWING AND ITS CONTENT IS COPYRIGHT OF AQUARIAN CLADDING SYSTEMS LTD.

ALL RIGHTS RESERVED

ANY REDISTRIBUTION OR REPRODUCTION OF PART OR ALL OF THE CONTENTS IN ANY FORM IS PROHIBITED AND YOU MAY NOT, EXCEPT WITH OUR EXPRESS WRITTEN PERMISSION, DISTRIBUTE OR COMMERCIALY EXPLOIT THE CONTENT.

USE OF THESE DRAWINGS IS AT THE RISK OF THE FACADE DESIGNER. AQUARIAN CLADDING SYSTEMS LTD WILL NOT ACCEPT LIABILITY FOR THE USE OF THESE DRAWINGS

**NOTES:**

ALL DRAWN ELEMENTS OTHER THAN THOSE ELEMENTS DIRECTLY RELATING TO THE GEBRIK PANEL AND/OR FIXINGS (INCLUDING DIMENSIONS) ARE SUPPLIED BY OTHERS AND THEREFORE SHOWN AS INDICATIVE. THEY ARE NOT TO BE USED FOR CONSTRUCTION DETAILING PURPOSES.

REV:	DESCRIPTION:	BY:	DATE:
STATUS:			



Eversea Business Centre  
13 Gardens Road, Clevedon  
North Somerset, BS21 7QQ  
0844 334 0077  
www.aquariancladding.co.uk

CLIENT:

SITE: N/A  
N/A

TITLE: GEBRIK ONTO SFS WITH CAVITY EAVES DETAIL

SCALE AT A3:	DATE:	DRAWN:	CHECKED:
NTS	10/04/2018	JM	PR
PROJECT NO:	DRAWING NO:	REVISION:	
N/A	ACS/EDC/001		